

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

February 16, 2007

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent Application Entitled *Method for Quantitative Video-Microscopy and Associated System and Computer Software Program Product*  
Application No.: 10/057,729; Filed January 24, 2002  
Patent No. 7,133,547 B2; Issued November 7, 2006  
Our File No.: 035735/240498

---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/kevin r. lyn/

Kevin R. Lyn  
Registration No. 42,818

KRL/nwc  
Enclosures

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,133,547 B2

Page 1 of 1

APPLICATION NO. : 10/057,729

ISSUE DATE : November 7, 2006

INVENTOR(S) : Marcelpoil *et al.*

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25.

Line 63: "am" should read --an--

Column 26.

Line 1: "group RGB" should read --group of RGB--

Column 27.

Line 2: "dyes,said" should read --dyes, said--

Column 30.

Line 13: "ms" should read --as--

Column 34.

Line 57: "or" should read --of--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000